MODULES 7 & 8 - EXPONENTIAL AND LOGARITHMIC FUNCTIONS

- 1. No Calculators
- 2. Fill in values that you already know (No guessing)
- 3. Figure out more values by multiplying dividing or looking for patterns.
- 4. Answer the questions at the bottom of this paper.

Write the answers to each of the following. You should not need to use a calculator for this.							
1 ² =							
$2^2 =$							
$3^2 =$							
$4^2 =$							
5 ² =							
6 ² =							
7 ² =							
8 ² =							
9 ² =							
$10^2 =$							
11 ² =							

 $12^2 =$

 2^5 32

 2^4 16

 2^3 2^2
 2^1 2^0
 2^{-1} 2^{-2}
 2^{-3} 1

Fill in the missing cells of the

Fill in the missing cells of the table by following the pattern. $\left(\frac{1}{5}\right)^5$

$\frac{1}{625}$
$\frac{1}{5}$
3125

Notice that when exponents are zero or negative, the original meaning of an exponent has to change. For example, $2^4 = 2 \cdot 2 \cdot 2 \cdot 2 = 16$, but what about 2^0 or 2^{-3} . Explain why 2^0 or 2^{-3} have the values described in your work above.

32

Evaluate each expression given in exponential form.

Ex: $5^{-2} = \frac{1}{25}$	1. 3 ⁰ =	$2. 5^3 =$	3. 3 ⁻² =
2		- 04	
$4. \ 2^{-3} =$	$5. 5^{-2} =$	$6. \ 3^4 =$	7. $4^{-3} =$

*Solve each using Guess & Check. Round answers to the nearest hundredth.

Solve each using duess & check. Round answers to the hearest hundredth.									
8. $10^x = 14517$	9. $4 \cdot 2^x = 1000$	10. $2^x = 8^{2x+1}$							

Simplify each expression. Leave answers with only positive exponents.												
11. 3 ⁸ · 3 ⁴	12. (2 ⁵) ³	13. 5 ⁻²	14. $\frac{4^7}{4^2}$	15. 2 ⁻⁵								
16. 5 ⁻³ · 5 ⁵	17. (3 ²) ⁴	18. $\frac{6^{11}}{6^{13}}$	19. 2 ⁻⁸ · 2 ⁴	20. $\frac{5^{10}}{5^7}$								
21. 4 ² ·2 ³	22. $\frac{27^2}{3^5}$	23. 5 ¹³ · 5 ¹¹	24. (5 ³) ¹³	25. $\frac{5^3}{5^{13}}$								
26. 5 ⁻³	27. $(5)^5 \cdot (25)^2$	$28. \ \frac{(25)^2}{(5)^5}$	$29. \ \frac{(5)^5}{(25)^2}$	30. $\frac{(25)^5}{(5)^2}$								
31. 7 ² · 7 ⁷	32. $\frac{7^2}{7^7}$	33. $7^7 \div 7^2$	34. $(7^2)^7$	35. (7 ⁷) ²								
36. $(7^2)^{\frac{1}{2}}$	37. $9^{\sqrt{3}} \cdot 27^{\sqrt{3}}$											

Module 7: Lesson 2 Solving Exponential Equations

Solve each equation using a "like base" strategy. Check your solutions.

38. $3^x = 3^8$	$39. \ 2^x = 8^{2x+1}$	40. Solve $2^{x+4} = 4^x$
30. 3 - 3	35. 4 - 0	40. Julye 2 — 4
41. Solve $3^{x+1} = 3^{2x}$	42. Solve $12^x = 12^5$	42 Challenge, $2x+1 - \Gamma x$
41. Solve $3^{n-1} = 3^{-n}$	42. Solve $12^{n} = 12^{n}$	43. Challenge: $3^{x+1} = 5^x$
44 0 1 16 44 1 1 7 1	14	•

44. Copied from Module 7: Lesson 2 - Extra Example 1

Solve Exponential Equations Algebraically

Solve
$$2^{9x} = 64^{3x+6}$$
.

$$x =$$

Here is what certain values would look like w/o scientific notation.
Mass of Earth: 13 170 000 000 000 000 000 000 000 lbs.
Approximate distance from Earth to the Sun: 93,000,000 miles
Mass of an electron: 0.00000000000000000000000000000000000
k Scientific Notation is used outside of a school building?
todentine rotation is used outside of a serious building.
equivalent value to the number not in scientific notation.
equivalent value to the number not in scientific notation.
Write each of the following values in scientific notation
Write each of the following values in scientific notation. 4. Mass of Farth: 13 170 000 000 000 000 000 000 lbs
Write each of the following values in scientific notation. 4. Mass of Earth: 13 170 000 000 000 000 000 000 000 lbs.
_
4. Mass of Earth: 13 170 000 000 000 000 000 000 000 lbs.
4. Mass of Earth: 13 170 000 000 000 000 000 000 000 lbs.
4. Mass of Earth: 13 170 000 000 000 000 000 000 000 lbs.
 4. Mass of Earth: 13 170 000 000 000 000 000 000 000 000 lbs. 5. Approximate distance from Earth to the Sun: 93,000,000 miles
 4. Mass of Earth: 13 170 000 000 000 000 000 000 000 000 lbs. 5. Approximate distance from Earth to the Sun: 93,000,000 miles 6. Mass of an electron:
 4. Mass of Earth: 13 170 000 000 000 000 000 000 000 000 lbs. 5. Approximate distance from Earth to the Sun: 93,000,000 miles
 4. Mass of Earth: 13 170 000 000 000 000 000 000 000 000 lbs. 5. Approximate distance from Earth to the Sun: 93,000,000 miles 6. Mass of an electron:
 4. Mass of Earth: 13 170 000 000 000 000 000 000 000 000 lbs. 5. Approximate distance from Earth to the Sun: 93,000,000 miles 6. Mass of an electron:
 4. Mass of Earth: 13 170 000 000 000 000 000 000 000 000 lbs. 5. Approximate distance from Earth to the Sun: 93,000,000 miles 6. Mass of an electron:
 4. Mass of Earth: 13 170 000 000 000 000 000 000 000 000 lbs. 5. Approximate distance from Earth to the Sun: 93,000,000 miles 6. Mass of an electron:
 4. Mass of Earth: 13 170 000 000 000 000 000 000 000 000 lbs. 5. Approximate distance from Earth to the Sun: 93,000,000 miles 6. Mass of an electron:
 4. Mass of Earth: 13 170 000 000 000 000 000 000 000 000 lbs. 5. Approximate distance from Earth to the Sun: 93,000,000 miles 6. Mass of an electron: 0.00000000000000000000000000000000000
 4. Mass of Earth: 13 170 000 000 000 000 000 000 000 000 lbs. 5. Approximate distance from Earth to the Sun: 93,000,000 miles 6. Mass of an electron:

7. (3.2 · 10)(2 · 10)	8. (0 10)(3 10)
9. $(14 \cdot 10^{-6})(5 \cdot 10^{-5})$	10. $\frac{(9\cdot10^7)}{(3\cdot10^4)}$

Module 7: Lesson 1 – Graphing Exponential Functions

1. a. Fill in the table for the following exponential function. Try not to use your calculator and instead of decimals, use fractions when necessary. If you need your calculator to get started, go ahead, but then try without.

$$y = 2^x$$

х	у
-2	
-1	
0	
1	
2	
3	
4	

1. b. Set up a scale for your graph by using the information that you filled in for the table, and then graph the function $y=2^x$. Again, if you need to use your calculator to help get started, go ahead, but then try without.


																	<u>, </u>																		
	Π		П																														П	П	٦
	Т		П	\neg																													П	П	П
	T		П	\neg		Т									Т										П			\neg			\Box	\Box	\neg	T	ヿ
	T		П	\neg		T																						\neg					\exists	T	ヿ
	T		Н	\dashv		H		\vdash	Н																			\neg					\dashv	\dashv	\dashv
	\vdash		\forall	\dashv		\vdash		\vdash	Н	Н				\vdash	\vdash	\vdash	Н					\vdash		Н	Н	-	\dashv	\dashv		-	\dashv	\dashv	\dashv	\dashv	\dashv
	+		\vdash	\dashv		\vdash		\vdash	Н	Н		\vdash	\vdash	\vdash	\vdash	\vdash	Н				-	\dashv		\vdash	Н	-	\dashv	\dashv	_	-	\dashv	\dashv	\dashv	+	\dashv
\vdash	+		Н	\dashv		\vdash		\vdash	Н						_	\vdash						\vdash		Н	Н	-	\dashv	\dashv		\vdash	\dashv	\dashv	\dashv	+	\dashv
\vdash	\vdash		Н	\dashv		⊢		\vdash	Н			_	_		_	\vdash						-		\vdash	\vdash	-	\vdash	\dashv		\vdash	\dashv	\dashv	\dashv	+	\dashv
\vdash	\vdash		Н	\dashv		_		_	H			_	_		_									-	-	-	-	\dashv		-	\dashv	\dashv	\dashv	\dashv	\dashv
\vdash	╄		Н	\dashv		_		_				_	_															\dashv			-	-	\dashv	\dashv	-
\vdash	\vdash		Ш	\dashv		<u> </u>		_	Ш			_	_		_										Ш		_	\dashv				\Box	\dashv	\dashv	4
	\perp		Щ	_		_		_	Ш																Ш			_					\dashv	\perp	_
	┖		Щ	_																								_					\Box	\perp	_
																												_					\Box	\Box	
																																	П	П	
	П		П																														П	П	П
	Т		П	\neg																													П	П	П
	T		П	\neg				Г								Г									П			\neg					\neg	T	┑
	T		Н	\dashv		\vdash		\vdash	Н															П	П		\Box	\neg			\dashv	\dashv	\dashv	\dashv	\dashv
	\vdash		\vdash	\dashv		\vdash		\vdash	Н						\vdash	\vdash						\Box			Н		\dashv	\dashv			\neg	\neg	\dashv	\pm	\dashv
	\vdash		\forall	\dashv		\vdash		\vdash	Н	Н				\vdash	\vdash	\vdash	Н					\vdash		Н	Н	-	\dashv	\dashv		\vdash	\dashv	\dashv	\dashv	\dashv	\dashv
	+		\vdash	\dashv		\vdash		\vdash	Н	Н		\vdash	\vdash	\vdash	\vdash	\vdash	Н				-	\dashv		Н	Н	-	\dashv	\dashv	_	-	\dashv	\dashv	\dashv	+	\dashv
\vdash	\vdash	-	\vdash	\dashv	_	⊢		\vdash	Н	\vdash	_	\vdash	\vdash		\vdash	\vdash	\vdash	_	_	_	-	\dashv		-	Н	-	\dashv	\dashv	_	-	\dashv	\dashv	\dashv	+	\dashv
+	+	H	\vdash	\dashv		\vdash	-	\vdash	\vdash	\vdash					-	\vdash	\vdash					\vdash		\vdash	\vdash		\dashv	\dashv		\vdash	\vdash	\vdash	\dashv	+	\dashv
\vdash	\vdash		\vdash	\dashv		\vdash		\vdash	\vdash			\vdash	\vdash	_	_	\vdash								\vdash	Н	\vdash		\dashv					\dashv	+	\dashv
\vdash	\vdash		$\vdash \vdash$	\dashv		_		\vdash	\vdash			_	_	_	_	\vdash									Н			\dashv					\dashv	\dashv	4
	\vdash		\square	_				_	Щ															Щ	Ш	Ш		_					\dashv	\dashv	_
\perp	\perp		Щ	_				_	Щ	Щ		_	_		_		Щ					Щ		Щ	Щ			_						_	_
			Ιl					l																									. 1		

2. a. Fill in the table for the following exponential function. Try not to use your calculator and instead of decimals, use fractions when necessary. If you need your calculator to get started, go ahead, but then try without.

(Notice the negative exponent here.) $\gamma = 3^{-x}$

х	у
-2	
-1	
0	
1	
2	
3	
4	

2. b. Set up a scale for your graph by using the information that you filled in for the table, and then graph the function $y = 3^{-x}$. Again, if you need to use your calculator to help get started, go ahead, but then try without.




Transformation Review

1. Graph the following exponential function.

$$y = 2^x$$

х	у
-2	
-1	
0	
1	
2	
3	




- 2. Of the six points that you just graphed, which one do you think is the "memorable point" of the bunch? Why?
- 3. Look along the x-axis. Do you think the curve that you graphed will ever touch the x-axis? Why or why not?


Definition: Asymptote – a reference line that a curve will approach, but never quite reach

* Use what you know about transformations, the "memorable point", and the asymptote to graph each. If you need to use your graphing calculator for the first two questions, please do so. Your goal is to not have to use your calculators.


4.
$$y = 2^x + 3$$




5.
$$y = 2^{x+5}$$




6.
$$y = -2^x$$




7.
$$y = 2^{-x}$$



8.
$$y = 2^{-x} - 1$$



9.
$$y = 2^{x-4} + 6$$




* Consider the function y = f(x).

Example: If I wished to move this function two up, I	Example: If I wished to move this function seven to the
would write this function as $y = f(x) + 2$.	left, I would write this function $y = f(x + 7)$.


Write the adjusted function for each of the following:

write the adjusted function for each of the following.	
10. Reflect the function over the <i>x</i> -axis.	11. Move the function two to the right and three down.
12. Reflect the function across the <i>y</i> -axis.	13. Reflect the function over both axes and move the function up four.

Copied from Module 7:1 Extra Example 1.



Copied from Module 7:1 Extra Example 3.




Module 7: Lesson 2 Solving Exponential Equations (Applications of Exponents and Logarithms)

Review – Graph the following exponential functions.


1. $y = 2^x$

1. y	— Z
х	у
-2	
-1	
0	
1	
2	
3	



2. $y = 2^{-x}$

х	у
-3	
-2	
-1	
0	
1	
2	




As you look at both graphs, what point is consistent in both situations? Why is this?

Again as you look at both graphs, both seem to be getting closer and closer to a reference line called an asymptote. How would you describe the location of this reference line on the graphs above?

You should see a connection with the two graphs/equations and what you know about transformations. Write a short explanation regarding this connection.

When looking at the equation for an exponential function, how can you tell that it is describing decay?

Copied from Module 7:1 Extra Example 4.



Use Exponential Growth Functions

FITNESS Addison is participating in a fitness challenge. Each

day, for 2 weeks, she wants to Increase the number of steps she takes by 10%. If Addison takes 3000 steps the first day, use a graphing calculator to graph and interpret a function representing this situation.

Part B Estimate	the	number	of steps	she v	will	take	on	the	last	day	of the	chall	enge.
	9	steps											

Look these up:	
Boiling Point of H ₂ O	Freezing Point of H ₂ O
Celsius or Fahrenheit	Celsius or Fahrenheit

Activity: Observing Exponential Decay

Objectives:


- a. Observe exponential decay in real-time
- b. Make predictions about decay over time
- c. Identify that functions can be represented as tables, graphs, and equations
- d. Calculate a regression function with given data
- e. Observe and predict idea of a limit

Module 7: Lesson 5 – Modelling Data

Fill in the table below based on the measurements as the boiling water cools. Room Temperature:

Time (t)	0	15	30	45	60	75	90	105	120	135	150	165	180
Temp. (<i>T</i>)													

Graph the collected data information by plotting the points.



How would you describe the shape or behavior of this graph?	We have discussed a reference line called an asymptote. Your graph is approaching an invisible horizontal line. How would you describe the location of this reference line?
---	---

On your calculators, use STAT -> EDIT to input the data from the table into lists L1 and L2.

Talk with your teacher on how to adjust your data for the horizontal asymptote.

Time (t)	0	15	30	45	60	75	90	105	120	135	150	165	180
Temp. (<i>T</i>)													
Fool the Calculator													

On your calculators, use STAT -> EDIT to input the data from the table.

Now use STAT -> CALC -> ExpReg to calculate the equation for the best equation that fits this data.

Write your equation here:	Now adjust this equation to fit the actual data from the experiment.
<i>y</i> =	y =

1. Increase 30 by 70%.	2. Decrease 250 by 80%.
3. 450 increased by 35%.	4. 145 decreased by 67%.
5. Increase your answer from #1 by 20%.	6. Increase your answer from #2 by 70%.


<u>The Multiplier</u> -> The "High School" method of increasing or decreasing by various percentages. Many applications for exponential growth/decay.

- 7. If \$10,000 is deposited in a savings account earning 4% interest every year, how much money is in the account after 10 years?
- 8. A \$17,000 car depreciates in value by 15% each year. How much will this car be worth in six years?

Identify whether each exponential function is growth or decay. Also, discuss the details of each function.

dentity whether each exponential function is growth of decay. Also, discuss the details of each function.									
9. $y = 5(1.25)^x$		10. $A = 1000(1.0)$	$8)^t$	11. $f(x)$	$=5(.92)^x$				
			-/	, (,,,	, - (-)				
1 X		12 10(2)-x			(1) X				
12. $g(x) = 54 \cdot \frac{1}{2}^{x}$		13. $y = 10(2)^{-x}$		14. <i>A</i> =	$12\left(\frac{1}{2}\right)$				
2					(3)				
$\frac{12}{12} h(x) = 40(2.0)^{\chi}$	12 7(11)	_ 0 4 ^x	$14 k(\alpha) - 500(0$	$\lambda = \lambda \lambda$	$15 f(x) = 17(4)^{\chi}$				
12. $b(x) = 40(3.8)^x$	13. $z(x)$	$= 0.4^{\circ}$	14. $k(x) = 500(.9)$	77)"	15. $f(x) = 17(4)^x$				
	1								

account that earns 7.5% interest compounded annually. What is the total amount of his investment after 3 years?	interest for 10 years when:		
	a. Compounded Yearly	b. Compounded Weekly	
	c. Compounded Daily	d. Compound every second	



3. Discuss the information in this table. 4. What are the implications represented in the table to the left? AGE **BEN INVESTS: ARTHUR INVESTS:** 2,000 2,240 20 2,000 0 4,749 0 2,000 21 22 7,558 0 2,000 10,706 0 0 23 24 2,000 14,230 2,000 18,178 0 0 25 26 27 2,000 2,000 22,599 0 27,551 0 0 30,857 2,000 2,240 4,749 7,558 28 0 2,000 34,560 29 38.708 0 2.000 30 31 0 2,000 10,706 43,352 14,230 48,554 2,000 32 0 54,381 2,000 18,178 33 60,907 2,000 22,599 5. Use an investment application online to explore different 34 0 68,216 2,000 27,551 investment possibilities. Write down some of these options. 35 76,802 2,000 33,097 36 0 85,570 2,000 39,309 37 95,383 2,000 46,266 107,339 120,220 38 54,058 0 2,000 39 2,000 62,785 n 2,000 40 0 134,646 72,559 41 150,804 2,000 83,506 42 168,900 2,000 95,767 0 189,168 211,869 109,499 124,879 43 2,000 0 44 0 2,000 45 237,293 2,000 142,104 46 0 265,768 2,000 161,396 47 297,660 0 2,000 183,004 333,379 207,204 48 0 2,000 49 373,385 2,000 234,308 50 0 418,191 2,000 264,665 51 468,374 2,000 298,665 52 53 54 524,579 0 2,000 336,745 2,000 0 587,528 379,394 0 2,000 427,161 658,032 55 736,995 2,000 480,660 56 0 825,435 2,000 540,579 57 924.487 2.000 607,688 0 58 0 1,035,425 2,000 682,851 59 1,159,676 2,000 767,033 60 0 1,298,837 2,000 861,317 2,000 61 0 1,454,698 966,915 1,085,185 0 1,629,261 2,000 62 63 0 1,824,773 2,000 1,217,647 64 0 2,043,746 2,000 1,366,005 2,000 \$2,288,996 \$1,532,166

Copied from Module 7: Lesson 5 – Example 1

Examine Scatter Plots

Use a graphing calculator to make a scatter plot of the data in the table. Then determine whether the data are best modeled by a *linear*, quadratic, or exponential function.

x										
у	-3	-2.7	-2.4	-2	-1	0	2.8	8	17.2	31

Copied from Module 7: Lesson 5 - Example 2

Model Data by Using Technology

COFFEE Forty years after opening their first shop, a popular coffee company grew to over 17,000 locations worldwide. The table shows the number of shops in the years since the company began. Use the data to determine a best-fit model. Then, use the model to make predictions.

Coffee Shop Growth			
Years Since Opening	Shops	Years Since Opening	Shops
0	1	28	2498
16	17	30	4709
18	55	32	7225
20	116	34	10,241
22	272	36	15,011
24	677	38	16,635
26	1412	40	17,003

Copied from Module 7: Lesson 5 - Extra Example 2

Model Data by Using Technology

world Population It is estimated that the world population reached 1 billion around 1804. Since then, it has been increasing at a dramatic pace. The table shows the estimated world population in billions since 1900. Use a calculator to determine the model of best fit. Then, use the model to predict.

Years Since 1900	Population (billions)
0	1.656
50	2.558
60	3.043
70	3.713
80	4.451
90	5.289
100	6.089
110	6.892

Part B Use the model to predict.		
Use the original data to e	estimate the world popula	tion in the given years.
a. 1930:	b. 1995:	c. 2020:
Use the model of best fit	to predict the world popu	ulation in the given yea
a. 1930:	b. 1995:	c. 2020:

*Solve each using Guess & Check on your calculators. Round answers to the nearest hundredth.

Solve each asing duess & eneck on your calculators. Nouth answers to the hearest handreath.			
1. $10^x = 14517$	2. $2^x = 1000$	3. $5.3^x = 123456$	

These questions have "nice" solutions, so do this set without a calculator.

nese questions have thee solutions, so do this set without a calculator.			
4. $2^x = 8$	5. $5^x = 25$	6. $2^x = \frac{1}{8}$	7. $3^x = 81$
9. 4% — 64	0. 2% — 64		11 FX — 12F
8. $4^x = 64$	9. $2^x = 64$	10. $3^x = \frac{1}{9}$	11. $5^x = 125$

MODULE 8: Lesson 1 – Logarithms and Logarithmic Functions

The word logarithm originates from two Greek words:

Logos meaning reason or <u>logic</u>

Arithmus meaning <u>number</u>

So the word logarithm basically means a logical number.

Example: The logarithm base 10 of 1000 looks like this:

 $log_{10}1000$

Which means... "To what number do you have to raise 10 to get 1000?"

The answer is 3 because $10^3=1000$. Therefore, $log_{10}1000=3$.

Try these. Evaluate each. The first answer is given as an example.

13. $log_2 8 = 3$	13. log ₅ 25	14. log ₂ 32	15. log ₄ 64
16. log ₄ 4	17. log ₄ 1	18. log ₂ 2	19. log ₂ 1
20. $log_2\left(\frac{1}{8}\right)$	21. log ₃ 81	22. $log_3\left(\frac{1}{27}\right)$	23. $log_5\left(\frac{1}{5}\right)$

* Introduction to Solving Logarithmic Equations - Solve each for x.

introduction to solving Logarithmic Equations - solve each for x.			
24. $log_2 8 = x$	25. $log_5 5 = x$	26. $log_{10}\left(\frac{1}{100}\right) = x$	27. $3^x = 3^7$
$28. \ 7^{x+3} = 7^{2x+1}$	29. $(2)^{x+4} = (4)^x$	30. $log_x 49 = 2$	31. $log_3 x = 4$

Solve each for x.

32. $log_x 4 = \frac{1}{2}$	33. $log_{10}x = log_{10}6$	34. $log_7(x+1) = log_77$	35. $log_3 2x = 2$
$36. \ log_3(3^2) = x$	27 log 25 – ²	38. $log_{27}9 = x$	
30. $log_3(3) = x$	37. $log_x 25 = \frac{2}{3}$	$30. \ \log_{27} 3 = x$	

Find the value of v in each equation.

ind the value of v in each equation.			
39. $v = log_{10}1000$	40. $v = log_{15}225$	41. $v = log_{12}144$	42. $8 = log_2 v$
43. $-4 = log_4 v$	44. $-3 = log_7 v$	45. $-2 = log_v \frac{1}{100}$	46. log_v 729 = 6
		100	

* Solving Logarithmic and Exponential Equations

Joiving Logarithmic and LA	Solving Logarithmic and Exponential Equations			
47. $4^x = 4^{3x-1}$	48. $8^2 = 4^{x+5}$	49. $log_{10}(2x) = log_{10}(x+7)$		
	_			
50. $3^{log_38} = x$	51. $log_2 32 = x$	$52. \ log_2 7x = log_2 (x^2 + 12)$		

*Evaluate each expression.

Evaluate each expression:				
53. log_44	54. $5 \cdot log_4 4$	55. $log_4 4 + log_4 4 + log_4 4 + log_4 4 + log_4 4$	56. $log_4 4^5$	

MODULE 8: Lesson 2 – Properties of Logarithms

There is a Logarithm button on your calculator. Find it.	The common log of 1000 can either be written $log_{10}1000$ or $log 1000$.	
LOG	(If a base of the logarithm is not shown, it is assumed to be log base 10.)	
	This is similar to a square root not needing to show the root index. Remember that $\sqrt{}$ and $\sqrt[2]{}$ mean the same thing.	
It is a "common logarithm" or log_{10} "log base 10" and is on our calculators because our number system is base 10.		
Tost it out		

Test it out.

 $log_{10}1000=3$ which means that $10^3=1000$. Type $\log 1000$ on your calculator. Did it work?

1. Now calculate and estimate the following to the nearest hundredth.

$$log_{10}6 \approx$$

We will be using this value as a reference to assist us in discovering some properties of logarithms.

2. In a-i, cross out or scribble out any of the following equations that are NOT true.

$a. \log 6 = \log 2 + \log 3$	b. $\log 6 = \log 2 + \log 4$	$c. \log 6 = \log 3 \cdot \log 3$
d. $\log 6 = \log 2 + \log 3 + \log 1$	$e. \log 6 = \log 1 + \log 6$	$f. \log 6 = \log 12 \div \log 2$
g. $\log 6 = \log 1.5 + \log 4$	h. $\log 6 = 2 \cdot \log 3$	i. $\log 6 = \log 10 + \log(.6)$

3. On the questions that are NOT crossed out, what property of the numbers do you think allows the equations to be true?	4. Create a new equation using $\log 6$ that is similar to the information above. $log_{10}6 =$
5. Based on what you have discovered, create a rule for each of the following. $ a. \log m + \log n =$	Verify your answers with me before moving on.
b. $\log a + \log b + \log c =$	

log_{10}	6	≈	
$\iota \upsilon g_{10}$	U	\sim	

We will be using this value as a reference to assist us in discovering some properties of logarithms.

6. In a-i, cross out or scribble out any of the following equations that are $\underline{\text{NOT}}$ true.

$a. \log 6 = \log 12 - \log 6$	b. $\log 6 = \log 18 - \log 3$	$c. \log 6 = \frac{\log 12}{\log 2}$
$d. \log 6 = \log 6 - \log 1$	$e. \log 6 = \log 12 - \log 2$	$f. \log 6 = \log 8 - \log 2$
$g. \log 6 = \log 30 - \log 5$	h. $\log 6 = \log 15 - \log 2.5$	$i. \log 6 = \log 15 - \log 9$

7. On the questions that are NOT crossed out, what property of the numbers do you think allows the equations to be true?	8. Create a new equation using $\log 6$ that is similar to the information. $log_{10}6=$
9. Based on what you have discovered, create a rule for each of the following.	
$\log m - \log n =$	

Simplify
$$x \cdot x \cdot x \cdot x \cdot x \cdot x =$$

Now Simplify x + x + x + x + x + x = 0

Work on understanding the following series of equivalent expressions.

$$\log 125 = \log(5^3) = \log(5 \cdot 5 \cdot 5) = \log 5 + \log 5 + \log 5 = 3 \cdot \log 5$$

11. See if you can do the same for the following expression.

$$log(11^5) =$$

12. Try to do the same thing (but in reverse) with the following expression.

$$5 \cdot \log 2 =$$

Are you seeing any shortcuts yet?

13. Based on what you have discovered, create a rule for each of the following.

$n \cdot \log a =$

* Properties of Logarithms continued Review/Extend

Condense each expression by writing each expression as a single logarithm. (Bring everything inside one logarithm.)

a.
$$\log x + \log y$$

b.
$$\log p - \log q$$

c.
$$3log_7a$$

d.
$$log_3 5 + log_3 x - 2log_3 z$$

e.
$$log_86 + 1$$

f.
$$-log_{10}a + log_{10}c + 2log_{10}b - 3log_{10}2d$$

Expand the logarithm and simplify.

g.
$$log_318$$

h.
$$log_5\sqrt{5}$$

14. Warm-Up

Determine which expressions below are equivalent to the expression log_35^2 . Cross-out the values that are not.

log_3 25	log_310	log_37	$2log_35$
$log_35 + log_35$	$log_35 - log_35$	$log_3100-log_34$	$log_3 12.5 + log_3 2$


*Solve each for x . Round answers to the	ne nearest hundredth. Some of these w	rill be Die Roll Questions (Part 1)
1. $10^x = 14517$	2. $5.3^x = 123456$	3. $log_3 321 = x$
4. $5^x = 1500$	5. $8^x = 5000$	6. $2^x = 1000$
7. $log_2 800 = x$	8. log ₅ 24720	9. $\left(\frac{1}{2}\right)^x = 455$
10. $log_7(5x - 3) - log_7(x^2 + 1) = 0$	11. $\left(\frac{1}{5}\right)^x = (25)^{2x-1}$	12. $2 \log x + \log 2 = \log(5x + 3)$
13. $log_3(x^2 - 2) + 2log_36 = log_36x$	$14. \left(\frac{1}{2}\right)^{x+1} = 4^{3x+2}$	15. $\sqrt{7} = 49^{x+1}$
16. $9^x = 27^2$	17. $log_5(x+1) + log_5 3 = log_5 2x$	18. $11^x = 54925$
19. $log_3(x+1) - log_3(2x) = 3$	20. $5^x = 2^{x+1}$	21. $log_9(x-4) + log_9(x+5) = log_97$
$22. \ 6^{2x} = 867$	23. $5e^x = 92$	24. $\ln(2x - 1) = 4$
25. $5e^x = 92$	26. $\ln(2x - 1) = 4$	$27. \ 5^{3x} = 8^{x+1}$

Investigating Inverses Algebraically

Review


1.
$$y = 2^x$$

$$2. \quad y = log_2 x$$



2.
$$y = 3^x$$

4.
$$y = log_3 x$$



Determining Inverses Algebraically.

3. Determine the inverse for
$$f(x) = \sqrt{7x - 1}$$

4. Determine the inverse for
$$h(x) = \frac{3}{2}x - 7$$

5. Determine the inverse for
$$f(x) = (x - 6)^2$$

6. Determine the inverse for
$$g(x) = \sqrt{2x-3}$$

7. Determine the inverse for
$$f(x) = 2^x$$

8. Determine the inverse for
$$g(x) = 3^x$$

9. Determine the inverse for
$$h(x) = 10^x$$

10. Determine the inverse for
$$h(x) = 7^x$$

Module 7: Lesson 3 – Special Exponential Functions (Applications of Exponential and Logarithmic Functions)

* Finding the natural base, e

You should recognize this formula now for compound interest. $A = P\left(1 + \frac{r}{n}\right)^{nt}$

We are only going to focus on this part of the formula for now. $\left(1 + \frac{r}{n}\right)^{nt}$

We are also going to set both r and t equal to one and only consider changes in the variable n. $\left(1+\frac{1}{n}\right)^n$

Use your calculators to help fill in the table below. Go out to five decimal places.

100 0		
n	$\left(1+\frac{1}{n}\right)^n$	
1		
10	2.59374	
100		
10000		
10000000		

Now, use your calculators to determine the value of e rounded to the nearest hundred-thousandth. The button for e is found above the button labeled LN. $e \approx$

Therefore in the expression $\left(1+\frac{1}{n}\right)^n$, as n gets larger and larger, answers get closer and closer to _____.

e is a number very similar to π .

Both of these numbers use symbols to represent them because they are irrational...(decimal goes forever w/o repeating) Both of these numbers were also discovered. You just went through an exercise to discover e.

* Solve each using a common logarithm and then a logarithm base e.

	1. $5^x = 1700$	2. $e^x = 3000$	3. $e^{3x-4} = e^{x+7}$
L			

Formula Bank

Compound Interest Formula (when
$$n=4,12,365,etc.$$
): $A=P\left(1+\frac{r}{n}\right)^{nt}$ when $n=1$ when $n=\infty$
$$A=P(1+r)^t$$
 Continuously Compounded Interest: $A=Pe^{rt}$

$A = Pe^{rt}$ $A = A_o e^{rt}$ $N(t) = N_o e^{kt}$	$A = P\left(\frac{1}{2}\right)^{\frac{t}{halflife}}$	$I(dB) = 10 \log \left[\frac{I}{I_o} \right]$	$M = \frac{2}{3}\log\left(\frac{E}{10^{11.8}}\right)$

Warm-Up/Review

1. Increase 45 by 36%.	2. Decrease 167 by 13%.
3. Decrease 56 by 20%. Continue this process for four more steps.	4. There is a \$25 shirt that you would like to buy. The store is offering 40% off the shirt. You also have a 15% off coupon to use. Sales tax in this particular county is 6.5%. What will the cash register total be for your new shirt?
5. The value of a painting is \$12,000 in 1990 and increases by 8% of its value each year. Write and evaluate an expression to estimate the paintings value in 2005.	6. 11 bacteria cells double every 30 minutes. How many cells will there be after: a. 2 hours b. 2.5 hours c. 6 hours
7. \$15,000 is placed in a savings account earning 7% interest compounded monthly. How much will be in the account if you let it sit for 15 years?	8. An investor puts \$5000 in an account that earns 6.5% annual interest which is compounded continuously. Find the amount that will be in the account at the end of 5 years if no deposits or withdrawals are made.

b. Verify that your solution is correct.

c. Die Roll ?'s will be 2, 3, 9, and 10 to be solved without a calculator. Solutions found online.

$1. \ 3x^2 - 5 = \frac{1}{2}x^3 + 2x$	$2. \ 3 \cdot (11)^x + 4 = 487$
(There are three different solutions to this equation. Find at least two of the three solutions.)	
reast two or the timee solutions.	
	Method used for solution?
Method used for solution?	Method used for solution:
3. $\log(3x + 1) = 2$	$4. \ \sqrt{8x+4} - x = 12 + x$
Method used for solution?	Method used for solution?
Wethou used for solution:	Method used for solution?
$5. \ 25^{2x+1} = 144$	$6. \ 2x^2 - 5x = 2x + 15$
3. 23 — 144	0.2x - 3x - 2x + 13
Method used for solution?	Method used for solution?
$7. \ 3x - 5 = \frac{4}{7} - 8x$	8. $3\log(x) - \log(6) + \log(2.4) = 9$
	Method used for solution?
Method used for solution?	Wethou used for solution:
9. $5e^x = 92$	10. $ln(2x - 1) = 4$
Method used for solution?	Method used for solution?
iviethod used for solutions	Method used for Solutions

* Extra Practice: Work on these questions involving the number e .				
9. Iodine-131 is radioactive material that follows an exponential decay model. A sample has 100 grams of iodine-131. The daily decay rate of iodine-131 is087. How much will be left after 9 days.	10. How long wou make \$2,000 if you \$800 at 5% interes compounded conti	invested t	11. You deposit \$5000 in an account that earns 11% interest compounded continuously. How long would it take you investment to: a. double. b. triple	
12. You deposit \$1,000 in an account t			or wants to make his \$30,000 into \$50,000	
interest compounded continuously. He in the account 20 years later?		What rate wo	uld he need to get on his investment if he o an account for 8 years earning continuo	
14. An investment service promises to	triple your money	15. The popu	lation of a certain insect has a daily growt	h
in 12 years. Assuming continuous compounding of interest, what rate of interest is needed?		What is the population is		
1	ited to be 1,056,576	,000 in 2000 an	d 1,234,281,000 in 2010. Assume that thi	S
population growth is exponential.				
a. Use the exponential growth function b. Estimate the population in India this c. Use the function you wrote in part a	year, rounded to th	e nearest hund	lred thousand.	


Radioactive Decay

Radioactive Decay		
2a. Cesium-137 has a half-life of 30 ye	ars.	
i. What is the decay rate of Cesium?	ii. How long will it take 400g of Cesium-137 to decay to 320g?	iii. How long will it take a sample of Cesium-137 to decay to 40% of its original amount?
2b. Cesium-137 has a half-life of 30 ye	ars.	
i. Determine a formula for the decay	ii. How long will it take 400g of	iii. How long will it take a sample of
of Cesium-137 using a multiplier of $\frac{1}{2}$.	Cesium-137 to decay to 320g?	Cesium-137 to decay to 40% of its original amount?

The five most deadly radioactive isotopes, in no particular order, are:


- 1. Plutonium-239: This isotope is commonly used in nuclear weapons and power plants, and is extremely dangerous due to its high rate of alpha particle emission. It has a half-life of 24,100 years.
- 2. Polonium-210: This isotope is highly toxic and is commonly used in industry as an anti-static device, but it is also used in nuclear weapons. It has a half-life of 138 days.
- 3. Cesium-137: This isotope is produced by nuclear fission and is a major contributor to the radioactive contamination of the environment after a nuclear accident. It has a half-life of 30.17 years.
- 4. Cobalt-60: This isotope is commonly used in radiation therapy to treat cancer, but it is also a byproduct of nuclear reactors. It emits gamma radiation and has a half-life of 5.26 years.
- 5. Strontium-90: This isotope is produced by nuclear fission and can be ingested through contaminated food or water, leading to bone cancer or leukemia. It has a half-life of 28.8 years.

Earthquakes and the Richter Scale



Ask for an Enrichment Packet if you are curious for more applications of Exponents and Logarithms.

Exploration and Enrichment of Exponents and Logarithms



- 1. Jammu and Kashmir is the northernmost state of India. It is situated mostly in the Himalayan mountains. In 2005, an earthquake was reported in this region with an energy level of 1.12×10^{22} ergs. What was the Richter Scale reading of this earthquake?
- 2. The "infamous" San Francisco earthquake of 1906 measured 8.0 on the Richter Scale. What was the energy level of this particular earthquake?

- 3. From December 1811 to early 1812, a series of earthquakes shook the Mississippi Valley near New Madrid, Missouri. One of the earthquakes released about 2.5×10^{24} ergs of energy. Find the earthquake's magnitude on the Richter Scale. Round your answer to the nearest tenth.
- 4. An earthquake was measured to have a Richter Scale reading of 7.2. What was the energy level of this particular earthquake?

* Radioactive Decay and Half-Life

<u>Definition</u>: Half-life – the amount of time it takes a radioactive substance to reduce to half of its original amount.

3. Plutonium-238 has a half-life of 88 years.

a. Determine the decay rate, r, of Plutonium-238.	b. How long would it take a sample of Plutonium-238 to decay to 75% of its original amount .	c. If a 1200 gram sample of Plutonium-238 decayed for 300 years, how much of the Plutonium- 238 would be around after this time period?

4. Use decay constant, r, for Carbon-14 dating (r = -.000121) to help answer the following questions.

a. If an original sample of C-14 weighed 1,200 g, how much Carbon-14 would remain after 2000 years?	b. A certain object, that was found in a dig, contained 50% of its original Carbon-14. Approximately how old was the object?	c. Another object contained 30% of its original Carbon-14. Approximately how old is this object?
d. What is the half-life of Carbon-14? (Hint: Think time)	e. How much of a 200g sample of Carbon-14 would still be around after 1000 years?	f. An ancient artifact is found. Scientists determine that the artifact has 40% of its original Carbon-14 remaining. Approximately how old is the artifact?

The Decibel Scale




Table 1	
Table of sound levels L (loudness of noise) with	
corresponding sound pressure and sound intensit	y

Sound sources (noise) Examples with distance	Sound pressure Level L_p dB SPL
Jet aircraft, 50 m away	140
Threshold of pain	130
Threshold of discomfort	120
Chainsaw, 1 m distance	110
Disco, 1 m from speaker	100
Diesel truck, 10 m away	90
Kerbside of busy road, 5 m	80
Vacuum cleaner, distance 1 m	70
Conversational speech, 1 m	60
Average home	50
Quiet library	40
Quiet bedroom at night	30
Background in TV studio	20
Rustling leaves in the distance	10
Hearing threshold	0

Sound pressure N/m² = Pa Sound field quantity	pSound intensity W/m² Sound energy quantity
200	100
63.2	10
20	1
6.3	0.1
2	0.01
0.63	0.001
0.2	0.000 1
0.063	0.000 01
0.02	0.000 001
0.0063	0.000 000 1
0.002	0.000 000 01
0.000 63	0.000 000 001
0.0002	0.000 000 000 1
0.000 063	0.000 000 000 01
0.000 02	0.000 000 000 00

Sound intensity is defined as the sound power per unit area with unit of $watts/m^2$ or $watts/cm^2$.

The Threshold of hearing is approximately the quietest sound a young human with undamaged hearing can detect at 1,000 Hertz. It's intensity is valued at 10^{-12} watts/ m^2 .

- 1. The sound of a leaf blower is about $10^{10.5}$ times the intensity of the threshold of hearing, $I_{\rm o}$. Find the relative intensity, R, of this leaf blower in decibels.
- 2. Suppose that a burglar alarm has a rating of 120 decibels. Compare the intensity of this decibel rating with that of the threshold of hearing, $I_{\rm o}$.

3. A particular sound has an intensity that is 10,000 times the threshold of hearing. What is the decibel level of this particular sound?

How Loud is too Loud?

According to Medline Plus, standard headphones emit 110 decibels at full volume- the same as a working chainsaw. Some experts suggest keeping your music at 60 decibels; others go as high as 80. Either way, they suggest limiting exposure to around 60 minutes at one time. With differing opinions on the exact volume, it's nice to know that determining if your music is too loud can be fairly simple.

A good rule of thumb is to take your headphones off and hold them at an arm's length. Keep the volume at your preferred level. If you can still hear your music, clearly or otherwise, it's too loud. If you're sitting next to someone and they can hear your music, it's also too loud.

Source: https://earhero.com/how-to-tell-your-music-is-too-loud


The pH Scale (Acid vs. Base)

The term "pH" originates from Latin and is an acronym for "potentia hydrogenii" - the power of hydrogen. The pH scale is commonly used to represent hydrogen ion activity.

On the pH scale, pH values below 7 represent acidic solutions (hydrogen ion activity greater than hydroxide ion activity) while values above 7 represent basic solutions. At pH = 7, hydrogen ion and hydroxide ion activity are equal.

As can be seen in Table 1, the possible range of hydrogen (H+) and hydroxide (OH-) ion activity can span many orders of magnitude. In order to easily manage and represent the wide range of ion activities, a logarithmic pH scale is used. Other parameters that have an incredibly wide range of possible values also use a logarithmic scale, such as the measurement of sound using the decibel (dB), or measurement of the energy released from an earthquake using the Richter scale.

	pН	H+ Activity	OH- activity
8-	0	1.E+00 1	0.00000000000001
	1	1.E-01 0.1	0.000000000001
	2	1.E-02 0.01	0.000000000001
acid	3	1.E-03 0.001	0.00000000001
	4	1.E-04 0.0001	0.0000000001
	5	1.E-05 0.00001	0.000000001
	6	1.E-06 0.000001	0.0000001
neutral	7	1.E-07 0.0000001	0.0000001
	8	1.E-08 0.00000001	0.000001
	9	1.E-09 0.000000001	0.00001
	10	1.E-10 0.0000000001	0.0001
base	11	1.E-11 0.00000000001	0.001
100000000000000000000000000000000000000	12	1.E-12 0.000000000001	0.01
	13	1.E-13 0.0000000000001	0.1
	14	1.E-14 0.000000000000001	1



*More Practice

11. Two neighboring towns have had population changes over a ten year period that follow exponential growth or exponential decay patterns. The population of Town A was 50,000 in 1990. It has increased in population by approximately 5.1% per year.			
The population of Town B was 100,000 in 1990. It has experience a decrease in population of 8.1% per year.			
 a. Write an exponential model (meaning equation) to describe the population of Town A. Estimate the population in the year 1998. Assume t = 0 corresponds with the year 1990. 			
b. Write an exponential model to describe the population of Town B.			
c. Estimate the population of town B in the year 2005.			
d. Approximately how many years would it take the population of Town A to double?			
e. In how many years would the population of Town B decrease to 75% of its original population.			
f. Determine the year when the towns would have approximately the same popular.	oulation.		
We need to earn \$2000 from an investment. We are given the following two	5. What percent change is involved		
options.	in an investment share that increases		
a. A money market account that earns 5% compounded monthly.	from \$41.28 to \$67.98?		
b. A bond account that earns 3% continuously.			
c. How much would we need to deposit for 2 years into each account to meet our goal?	6. What is the average annual percent change if an investment share increases from \$41.28 to 67.98 in four years?		
d. Which investment would be the better choice?	,		